



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/995,721	11/29/2001	Gerard Vergnaud	Q67037	1847

7590 10/29/2003

SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC  
2100 Pennsylvania Avenue, N.W., Suite 800  
Washington, DC 22237-3213

EXAMINER
----------

SWARTHOUT, BRENT

ART UNIT	PAPER NUMBER
----------	--------------

2636

DATE MAILED: 10/29/2003

h

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/995,721

Applicant(s)

VERGNAUD ET AL.

Examiner

Brent A Swarthout

Art Unit

2636

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-4 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

Art Unit: 2636

1. The abstract of the disclosure is objected to because the wrong abstract has been submitted. Correction is required. See MPEP § 608.01(b).
2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

- a. Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Katzenberg et al.

Katzenberg discloses a terminal adapter device connecting a terminal device 10 to a network and for identifying terminal types comprising:

First connectors (66, Data + phantom power, Fig. 3) for inserting the adapter between the terminal and network, and an identifier circuit 64 for identifying terminal type and being connected to at least two conductors at the network side (col. 3, lines 1-22 and 44-48).

Choosing to connect the terminal to a LAN as opposed to an Ethernet would have been obvious, merely depending on what type of network was used to remotely power terminal equipment.

Regarding claims 2-3, Katzenberg teaches desirability of providing remote power feed over network side conductors (col.3, lines 43-48), and it would have been inherent that the power would have been conducted to the terminal device over conductors.

Regarding claim 4, Katzenberg teaches use of second conductor (main power distribution bus, Fig. 3), connected to network side conductors through switch 68, use of data versus other available lines being an obvious matter of engineering choice, alternate lines providing easier transmission when available, since data signals would not have had to be transmitted along with power signals.

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Farnsworth, Lattanzi, Chang, and McCormack disclose network connection systems.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brent A Swarthout whose telephone number is 703-305-4383. The examiner can normally be reached on M-F from 6:30 to 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeff Hofsass, can be reached on (703) 305-4717. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4700.



Brent A Swarthout  
Examiner  
Art Unit 2636

**BRENT A. SWARTHOUT  
PRIMARY EXAMINER**